

00169.001919



PATENT

\$ 100.00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: )  
TIMOTHY JOHN LINDQUIST ) : Examiner: Cicely Q. Ware  
Appln. No.: 09/730,558 ) : Art Unit: 2634  
Filed: December 7, 2000 ) :  
For: INVERSE DWT METHOD AND ) :  
APPARATUS ) :  
U.S. Patent No.: 7,031,404 B2 ) :  
Issued: April 18, 2006 ) : September 14, 2006

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

**Certificate**  
**SEP 20 2006**  
**of Correction**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

09/18/2006 SDENB081 00000022 7831484  
01 FC:1811


100.00 OP

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

SEP 20 2006

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'RD', is written over a horizontal line.

Raymond DiPerna  
Attorney for Patentee  
Registration No. 44,063

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

590955v1

SEP 20 2008

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 16, "coder" should read --coder.--; and  
Line 55, "In" should read --in--.

COLUMN 3

Line 7, "dimensions," should read --dimensions;--;  
Line 21, "subband" should read --sub-band--;  
Line 32, "subbands" should read --sub-bands--;  
Line 54, "FIG. 1," should read --FIG. 1;--; and  
Line 66, "two" should read --two---.

COLUMN 4

Line 13, "all" should read --an--;  
Line 15, "horizontal a" should read --a horizontal--;  
Line 22, "FIG. 13:" should read --FIG. 13;--;  
Line 40, "dimensions" should read --dimensions.--; and  
Line 58, "ie." should read --i.e.,--.

COLUMN 5

Line 10, "(ie" (both occurrences) should read --(i.e.,--;  
Line 11, "(ie" should read --(i.e.,--;  
Line 12, "(ie" (both occurrences) should read --(i.e.,--;  
Line 18, "memory" should read --memory.--;  
Line 36, "(ie." should read --(i.e.,--;  
Line 42, "(ie." should read --(i.e.,--;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

STF 3 5 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 50, "ie." should read --i.e.,--;  
Line 54, "Bach" should read --Each--;  
Line 56, "respectively" should read --respectively.--; and  
Line 66, "downsampling" should read --down-sampling--.

COLUMN 6

Line 19, "ie," should read --i.e.,--  
Line 36, "ie." should read --i.e.,--;  
Line 41, "eg." should read --e.g.,--; and  
Line 65, "ie." should read --i.e.,--.

COLUMN 7

Line 20, "ie" should read --i.e.,--;  
Line 25, "implementation" should read --implementation.--;  
Line 31, "ie" should read --i.e.,--;  
Line 38, "upsampled" should read --up-sampled--; and  
Line 47, "described," should read --described.--.

COLUMN 8

Line 19, "(ie." should read --(i.e.,--;  
Line 20, "(ie." should read --(i.e.,--  
Line 34, "eg." should read --e.g.,--; and  
Line 40, "ie." should read --i.e.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

SEP 20 2006



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9

Line 5, "eg." should read --e.g.,--;  
Line 14, "sots" should read --sets--;  
Line 35, "(ie." should read --(i.e.,--;  
Line 36, "depicted" should read --depicted,--;  
Line 39, "eg." should read --e.g.,--;  
Line 42, "eg." should read --e.g.,--;  
Line 57, "a" should read --an--; and  
Line 64, "level 0" should read --level 0.--.

COLUMN 10

Line 4, "eg." should read --e.g.,--;  
Line 5, "eg." should read --e.g.,--;  
Line 6, "eg." should read --e.g.,--;  
Line 8, "(eg" should read --(e.g.,--; and "witch" should read --which--;  
Line 12, "upconversion" should read --up-conversion--;  
Line 15, "eg." should read --e.g.,--;  
Line 17, "(ie." should read --(i.e.,--;  
Line 22, "ie." should read --i.e.,--;  
Line 28, "eg." should read --e.g.,--;  
Line 34, "eg." should read --e.g.,--;  
Line 35, "eg." should read --e.g.,--;  
Line 40, "(ie." should read --(i.e.,--;  
Line 41, "eg." should read --e.g.,--;  
Line 46, "e.g." should read --e.g.,--;  
Line 55, "In" should read --in--; and  
Line 57, "eg." should read --e.g.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

SEP 20 2006



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11

Line 25, " $y_{ij-1}$ ." should read  $--y_{ij+1}--$

Line 47, " $y'_{ij-1}$ " should read  $--y'_{ij+1}--$ ;

Line 50, "(up sampled)" should read  $--(up-sampled)--$ ; and

Line 61, " $y''_{ij-8}$ " should read  $--y''_{ij-8}--$ .

COLUMN 12

Line 10, "sub-band-" should read  $--sub-band.--$

Line 15, "zero" should read  $--zero.--$ ;

Line 45, "respectively" should read  $--respectively.--$ ; and

Line 51, "feds" should read  $--feeds--$ .

COLUMN 13

Line 12, "re-arrangement" should read  $--rearrangement--$ ;

Line 50, "feds" should read  $--feeds--$ ; and

Line 59, "simultaneously" should read  $--simultaneously--$ .

COLUMN 14

Line 11, " $x_{i-3j}$ ," should read  $--x_{i-3j},--$ ;

Line 58, "shown)," should read  $--shown).--$ ; and

Line 60, "(up sampled)" should read  $--(up-sampled)--$ .

COLUMN 15

Line 38, "eg." should read  $--e.g.,--$ ;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

APR 20 2006



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 39, "eg." should read --e.g.,--;  
Line 40, "eg." should read --e.g.,--;  
Line 41, "eg." should read --e.g.,--;  
Line 44, "eg." should read --e.g.,--;  
Line 52, "eg." should read --e.g.,--;  
Line 54, "ie." should read --i.e.,--;  
Line 57, "eg." should read --e.g.,--;  
Line 60, "convolves." should read --convolvers.--;  
Line 63, "one" should read --one---; and  
Line 66, "ie." should read --i.e.,--.

COLUMN 16

Line 2, "eg." should read --e.g.,--;  
Line 9, "outputs" should read --output--;  
Line 16, "eg." should read --e.g.,--;  
Line 19, "eg" should read --e.g.,--;  
Line 21, "eg." should read --e.g.,--;  
Line 27, "required" should read --required.--;  
Line 29, "eg" should read --e.g.,--;  
Line 38, "two" should read --two---;  
Line 41, "ie" should read --i.e.,--;  
Line 60, "example," should read --example.--; and  
Line 64, "product" should read --product.--.

COLUMN 17

Line 29, "IBM-PC'S" should read --IBM-PCs--;  
Line 34, "a-d" should read --and--; and

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

590955v1

20 2006



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 55, "sub functions" should read --sub-functions--.

COLUMN 19

Line 33, "wherein;" should read --wherein,--.

COLUMN 21

Line 1, "point" should read --points--; and

Line 6, "are" should read --is--.

COLUMN 22

Line 3, "are" should read --is--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

590955v1

2006





UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 16, "coder" should read --coder.--; and  
Line 55, "In" should read --in--.

COLUMN 3

Line 7, "dimensions," should read --dimensions;--;  
Line 21, "subband" should read --sub-band--;  
Line 32, "subbands" should read --sub-bands--;  
Line 54, "FIG. 1," should read --FIG. 1;--; and  
Line 66, "two" should read --two---.

COLUMN 4

Line 13, "all" should read --an--;  
Line 15, "horizontal a" should read --a horizontal--;  
Line 22, "FIG. 13:" should read --FIG. 13;--;  
Line 40, "dimensions" should read --dimensions.--; and  
Line 58, "ie." should read --i.e.,--.

COLUMN 5

Line 10, "(ie" (both occurrences) should read --(i.e.,--;  
Line 11, "(ie" should read --(i.e.,--;  
Line 12, "(ie" (both occurrences) should read --(i.e.,--;  
Line 18, "memory" should read --memory.--;  
Line 36, "(ie." should read --(i.e.,--;  
Line 42, "(ie." should read --(i.e.,--;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 50, "ie." should read --i.e.,--;  
Line 54, "Bach" should read --Each--;  
Line 56, "respectively" should read --respectively.--; and  
Line 66, "downsampling" should read --down-sampling--.

COLUMN 6

Line 19, "ie," should read --i.e.,--  
Line 36, "ie." should read --i.e.,--;  
Line 41, "eg." should read --e.g.,--; and  
Line 65, "ie." should read --i.e.,--.

COLUMN 7

Line 20, "ie" should read --i.e.,--;  
Line 25, "implementation" should read --implementation.--;  
Line 31, "ie" should read --i.e.,--;  
Line 38, "upsampled" should read --up-sampled--; and  
Line 47, "described," should read --described.--.

COLUMN 8

Line 19, "(ie." should read --(i.e.,--;  
Line 20, "(ie." should read --(i.e.,--  
Line 34, "eg." should read --e.g.,--; and  
Line 40, "ie." should read --i.e.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9

Line 5, "eg." should read --e.g.,--;  
Line 14, "sots" should read --sets--;  
Line 35, "(ie." should read --(i.e.,--;  
Line 36, "depicted" should read --depicted,--;  
Line 39, "eg." should read --e.g.,--;  
Line 42, "eg." should read --e.g.,--;  
Line 57, "a" should read --an--; and  
Line 64, "level 0" should read --level 0.--.

COLUMN 10

Line 4, "eg." should read --e.g.,--;  
Line 5, "eg." should read --e.g.,--;  
Line 6, "eg." should read --e.g.,--;  
Line 8, "(eg" should read --(e.g.,--; and "witch" should read --which--;  
Line 12, "upconversion" should read --up-conversion--;  
Line 15, "eg." should read --e.g.,--;  
Line 17, "(ie." should read --(i.e.,--;  
Line 22, "ie." should read --i.e.,--;  
Line 28, "eg." should read --e.g.,--;  
Line 34, "eg." should read --e.g.,--;  
Line 35, "eg." should read --e.g.,--;  
Line 40, "(ie." should read --(i.e.,--;  
Line 41, "eg." should read --e.g.,--;  
Line 46, "e.g." should read --e.g.,--;  
Line 55, "In" should read --in--; and  
Line 57, "eg." should read --e.g.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page



SEP 20 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11

Line 25, " $y_{ij-1}$ ." should read  $--y_{ij+1}--$

Line 47, " $y'_{ij-1}$ " should read  $--y'_{ij+1}--$ ;

Line 50, "(up sampled)" should read  $--(up-sampled)--$ ; and

Line 61, " $y_{ij-8}$ " should read  $--y_{ij-8}\}--$ .

COLUMN 12

Line 10, "sub-band-" should read  $--sub-band--$

Line 15, "zero" should read  $--zero--$ ;

Line 45, "respectively" should read  $--respectively--$ ; and

Line 51, "feds" should read  $--feeds--$ .

COLUMN 13

Line 12, "re-arrangement" should read  $--rearrangement--$ ;

Line 50, "feds" should read  $--feeds--$ ; and

Line 59, "simultaneously" should read  $--simultaneously--$ .

COLUMN 14

Line 11, " $x_{i-3j}$ ," should read  $--x_{i-3j}--$ ;

Line 58, "shown)," should read  $--shown)--$ ; and

Line 60, "(up sampled)" should read  $--(up-sampled)--$ .

COLUMN 15

Line 38, "eg." should read  $--e.g.--$ ;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 39, "eg." should read --e.g.,--;  
Line 40, "eg." should read --e.g.,--;  
Line 41, "eg." should read --e.g.,--;  
Line 44, "eg." should read --e.g.,--;  
Line 52, "eg." should read --e.g.,--;  
Line 54, "ie." should read --i.e.,--;  
Line 57, "eg." should read --e.g.,--;  
Line 60, "convolves." should read --convolvers.--;  
Line 63, "one" should read --one---; and  
Line 66, "ie." should read --i.e.,--.

COLUMN 16

Line 2, "eg." should read --e.g.,--;  
Line 9, "outputs" should read --output--;  
Line 16, "eg." should read --e.g.,--;  
Line 19, "eg" should read --e.g.,--;  
Line 21, "eg." should read --e.g.,--;  
Line 27, "required" should read --required.--;  
Line 29, "eg" should read --e.g.,--;  
Line 38, "two" should read --two---;  
Line 41, "ie" should read --i.e.,--;  
Line 60, "example," should read --example.--; and  
Line 64, "product" should read --product.--.

COLUMN 17

Line 29, "IBM-PC'S" should read --IBM-PCs--;  
Line 34, "a-d" should read --and--; and

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 55, "sub functions" should read --sub-functions--.

COLUMN 19

Line 33, "wherein;" should read --wherein,--.

COLUMN 21

Line 1, "point" should read --points--; and

Line 6, "are" should read --is--.

COLUMN 22

Line 3, "are" should read --is--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

590955v1

20 2006